BENCHMADE®

KNIFE COMPANY

COMMERCIAL | PROFESSIONAL CATALOG

2013

21ST CENTURY CRAFTSMANSHIP

Benchmade Knife Company began with a simple idea, to create a knife that is well designed, well built and made to last. It's in the name, Benchmade, recalling the days when tools were carefully made by hand. Today, we use the finest materials, manufacturing technology and handcrafted design.

Our commitment to world-class quality is embodied in our well-known motto – It's Not Just a Knife.

It's a Benchmade.

GOLD CLASS
PAGES 06-07

470-131
P.07

BLUE CLASS **PAGES 10-31**

300
P.10

470-1
P.11

1000001
P.13

162
P.22

63
P.25

62T
P.25

67
P.25

BONE COLLECTOR™
PAGES 33-35

15055-1
P.32

15055-2
P.32

BLACK CLASS
PAGES 38-62

9170
BLACK
P.48

9170
ORANGE
P.48

172BKF
P.57

GOLD CLASS **PAGES 06-07**

4501 P.06

4502 P.06

470-131 P.07

BLUE CLASS **PAGES 10-31**

300 P.10 | **470-1** P.11 | **580** P.12 | **581** P.12 | **583** P.12 | **1000001** P.13 | **585** P.13 | **746** P.14 | **530** P.15 | **940** P.16 | **943** P.16 | **710** P.17

707 P.18 | **482** P.19 | **483** P.19 | **162** P.22 | **755** P.23 | **890** P.24 | **62** P.25 | **63** P.25 | **62T** P.25 | **67** P.25 | **32** P.26 | **51** P.26 | **53** P.27

BALI-SONG® **PAGES 25-27**

551 P.28 | **556** P.28 | **550** P.29 | **555** P.29 | **553** P.29 | **557** P.29 | **551H20** P.31 | **111H20** P.31 | **1200** P.66 | **1210** P.66 | **1100** P.67

PENS **PAGES 66-67**

BONE COLLECTOR™ **PAGES 33-35**

15055 P.32 | **15050** P.33 | **15020/15030** P.34 | **15010** P.35 | **15005** P.35 | **15000** P.35 | **15015** P.35 | **15040** P.35

BLACK CLASS **PAGES 38-62**

275 P.38 | **810** P.47 | **915** P.49 | **916** P.49 | **860** P.52 | **950** P.53 | **520/525** P.54 | **522/527** P.55

FOLDERS **PAGES 38-55**

2750 P.38 | **3300** P.42 | **3350** P.42 | **9051** P.43 | **9052** P.43 | **9101** P.44 | **9500** P.44 | **2550** P.45

3550 P.45 | **3150** P.46 | **9170 BLACK** P.48 | **9170 ORANGE** P.48 | **8600** P.52 | **9555** P.53 | **5000/5300/5500** P.54 | **5220/5270** P.55

AUTOMATICS **PAGES 45-55**

175 P.38, 59 | **375** P.39 | **140/141** P.56 | **172BKF** P.57 | **176** P.58 | **118** P.63 | **124** P.63 | **164** P.63

FIXED BLADES **PAGES 38-63**

8 P.60 | **8 MED** P.60 | **7** P.61 | **5** P.61 | **9 CB** P.62 | **30210/ 30200** P.62

SAFETY CUTTERS **PAGES 60-62**

GOLD CLASS

Erase the line between custom and manufactured. It's where existing lines reach perfection and one-of-a-kind tools are crafted for the collector's wish list. The Gold Class represents a new standard in knife-making.

PRESTIGEDGES

DE ASIS DESIGN • U.S.A.

The classic Prestigedges kitchen knives are now available in two handle materials that best fit your lifestyle.

- Single-piece full-tang 440C stainless steel blades (58-60HRC)
- 4501: Hand finished black Micarta and stabilized winewood handles with hand polished handle rivets
- 4502: Black G10 textured contoured handles

4501

4502

Individual knives also sold separately.

4501	Chef Knife	Utility Knife	Paring Knife
BLADE LENGTH	8.00" (20.32cm)	6.00" (15.24cm)	3.50" (8.89cm)
BLADE THICKNESS	0.140" (3.59mm)	0.120" (3.05mm)	0.070" (1.84mm)
OVERALL LENGTH	13.00" (33.00cm)	10.25" (26.04cm)	7.09" (18.01cm)
WEIGHT	8.50oz (241.00g)	4.80oz (136.00g)	2.10oz (60.00g)
4502			
WEIGHT	9.14oz (2.58g)	5.07oz (143.7g)	2.07oz (58.5g)
HANDLE THICKNESS	0.77" (19.50mm)	0.61" (15.36mm)	0.48" (12.28mm)

CONFIGURATIONS/MSRP		
4501	3-piece set	$500
4502	3-piece set	$385
4535-1	Paring Knife	$110
4560-1	Utility Knife	$140
4580-1	Chef Knife	$180

GOLD CLASS

NEW 470-131 EMISSARY™

OSBORNE DESIGN • U.S.A.

The Gentleman's AXIS®-Assist 470-131 Emissary dressed to the 9's with Damascus blade and engraved ivory Micarta.

- AXIS®-Assist locking mechanism with side safety
- Modified drop-point blade with ambidextrous thumb-stud opener
- Etched Hakkapella Damasteel blade
- Machined anodized black billet 7075 aluminum handle with engraved ivory Micarta inlay

	470-131
BLADE LENGTH	3.00" (7.62cm)
BLADE THICKNESS	0.090" (2.29mm)
OPEN	6.90" (17.53cm)
CLOSED	3.90" (9.90cm)
WEIGHT	2.20oz (62.4g)
HANDLE THICKNESS	0.45" (11.43mm)

CONFIGURATION/MSRP	
470-131	$500

BLUE CLASS

The heart of Benchmade. Whether it's folders or fixed blades, the Blue Class knife is designed and built for the individual who understands the difference a high-quality instrument can make.

300 AXIS® FLIPPER NEW

BUTCH BALL DESIGN • U.S.A.

The convenience of a flipper with the performance of the AXIS®.

- AXIS® locking mechanism
- Drop-point blade with flipper and ambidextrous dual thumb-stud opener
- 154CM stainless steel blade (58-61 HRC)
- Brown and tan textured G10 handle scales
- Stainless steel liners with reversible deep-carry clip

	300
BLADE LENGTH	3.18" (8.08cm)
BLADE THICKNESS	0.130" (3.30mm)
OPEN	7.36" (18.69cm)
CLOSED	4.25" (10.80cm)
WEIGHT	4.85oz (137.5g)
HANDLE THICKNESS	0.59" (14.99mm)

CONFIGURATIONS/MSRP		
300SN		$175
300SSN	SERR	$175

BLUE CLASS

NEW 470-1 EMISSARY™

OSBORNE DESIGN • U.S.A.

This lightweight knife is an AXIS®-Assist in a thin package.

- AXIS®-Assist locking mechanism with side safety
- Modified drop-point blade with ambidextrous thumb-stud opener
- S30V premium stainless steel blade (58-60HRC)
- CNC machined billet, high-strength aluminum alloy handles and a reversible deep-carry tip-up pocket clip

	470-1
BLADE LENGTH	3.00" (7.62cm)
BLADE THICKNESS	0.090" (2.28mm)
OPEN	6.90" (17.52cm)
CLOSED	3.90" (9.90cm)
WEIGHT	2.20oz (62.36g)
HANDLE THICKNESS	0.45" (11.43mm)

CONFIGURATION/MSRP	
470-1	$205

BARRAGE® FAMILY

OSBORNE DESIGN • U.S.A.

These spring-assisted models combine speed and strength in one complete package.

- AXIS®-Assist locking mechanism
- Multiple blade styles and sizes
- Variety of handle materials available
- Reversible tip-up pocket clip

581

This Barrage® gets an upgrade with G10 and aluminum handles and M390 super steel (60-62 HRC).

	581
BLADE LENGTH	3.60" (9.10cm)
BLADE THICKNESS	0.121" (3.07mm)
OPEN	8.35" (21.20cm)
CLOSED	4.75" (12.10cm)
WEIGHT	5.20oz (147.41g)
HANDLE THICKNESS	0.65" (16.51mm)

CONFIGURATIONS/MSRP			
581			$225
581S	SERR		$225
581BK		BLK	$240
581SBK	SERR	BLK	$240

580/583

NSN: 1095-01-598-4472 (538SBK)

The original Barrage® is available in tanto or drop-point blade styles. These models feature a 154CM stainless steel blade (58-61HRC), Valox® handle and stainless steel liners.

580
Drop-Point

583
Tanto

	580/583
BLADE LENGTH	3.60" (9.10cm)
BLADE THICKNESS	0.121" (3.07mm)
OPEN	8.35" (21.20cm)
CLOSED	4.75" (12.10cm)
WEIGHT	4.20oz (119.07g)
HANDLE THICKNESS	0.65" (16.51mm)

CONFIGURATIONS/MSRP			
580			$145
580S	SERR		$145
580BK		BLK	$160
580SBK	SERR	BLK	$160
583			$145
583S	SERR		$145
583BK		BLK	$160
583SBK	SERR	BLK	$160

BLUE CLASS

BARRAGE® FAMILY

OSBORNE DESIGN • U.S.A.

585

Same powerful design in a smaller package. 154CM stainless steel blade (58-61HRC), Valox® handles and stainless steel liners.

SHOOTING INDUSTRY ACADEMY OF EXCELLENCE 2009 KNIFE OF THE YEAR

	585
BLADE LENGTH	2.91" (7.40cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	6.91" (17.60cm)
CLOSED	4.00" (10.20cm)
WEIGHT	3.40oz (96.30g)
HANDLE THICKNESS	0.57" (14.47mm)

CONFIGURATIONS/MSRP			
585			$135
585S	SERR		$135
585BK		BLK	$150
585SBK	SERR	BLK	$150

NEW 1000001 VOLLI

The newest AXIS®-Assist knife. New look, same fortitude.

- AXIS®-Assist locking mechanism
- Drop-point blade with ambidextrous dual thumb-stud opener
- S30V stainless steel blade (58-60HRC)
- Black contoured and textured G10 handle
- Stainless steel liners with reversible split-arrow clip

	1000001
BLADE LENGTH	3.26" (8.28cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	7.78" (19.76cm)
CLOSED	4.42" (11.23cm)
WEIGHT	4.28oz (121.3g)
HANDLE THICKNESS	0.56" (14.22mm)

CONFIGURATIONS/MSRP			
1000001			$160
1000002	SERR		$160
1000003		BLK	$175
1000004	SERR	BLK	$175

746 **MINI-ONSLAUGHT®**

LUM DESIGN • U.S.A.

The Onslaught continues.

- AXIS® locking mechanism
- Modified clip-point blade with ambidextrous thumb-hole opener
- 154CM stainless steel blade (58-61HRC)
- Black G10 contoured handle scales with full stainless steel liners and a tip-up pocket clip

	746
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.114" (2.89mm)
OPEN	7.78" (19.76cm)
CLOSED	4.43" (11.25cm)
WEIGHT	3.90oz (110.56g)
HANDLE THICKNESS	0.63" (16.00mm)

CONFIGURATIONS/MSRP			
746			$165
746S	SERR		$165
746BK		BLK	$180
746SBK	SERR	BLK	$180

BLUE CLASS

530

PARDUE DESIGN • U.S.A.

Thin is in with this sub two-ounce folder.

- AXIS® locking mechanism
- Spear-point blade with ambidextrous thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Grivory® handle scales with a reversible tip-up pocket clip

	530
BLADE LENGTH	3.25" (8.25cm)
BLADE THICKNESS	0.090" (2.28mm)
OPEN	7.42" (18.85cm)
CLOSED	4.17" (10.59cm)
WEIGHT	1.88oz (53.28g)
HANDLE THICKNESS	0.37" (9.39mm)

CONFIGURATIONS/MSRP			
530			$110
530SBK	SERR	BLK	$125

940 & 943

OSBORNE DESIGN • U.S.A.

Simply designed and built for extreme performance, the machined aircraft-grade aluminum handles and S30V stainless steel make these knives true workhorses.

- AXIS® locking mechanism
- 940: Modified reverse tanto blade; 943: Straight clip-point blade; ambidextrous thumb-stud opener
- S30V premium stainless steel blade (58-60HRC)
- Anodized 6061-T6 aluminum handles with stainless steel liners, color anodized titanium backspacer and a reversible tip-up pocket clip

	940/943
BLADE LENGTH	3.40" (8.64cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	7.87" (19.99cm)
CLOSED	4.47" (11.35cm)
WEIGHT	2.90oz (82.21g)
HANDLE THICKNESS	0.41" (10.40mm)

CONFIGURATIONS/MSRP			
940			$210
940S	SERR		$210
940BK		BLK	$225
940SBK	SERR	BLK	$225
943			$210
943SBK	SERR	BLK	$225

BLUE CLASS

710

MCHENRY & WILLIAMS DESIGN • U.S.A.

Our first folder to ever feature the AXIS® lock, the 710 is flat-out a terrific piece of sports cutlery.

- AXIS® locking mechanism
- Modified clip-point blade with ambidextrous thumb-stud opener
- D2 tool steel blade (60-62HRC)
- Black G10 handle scales with a reversible tip-up pocket clip and full stainless steel liners

SHOOTING INDUSTRY ACADEMY OF EXCELLENCE
1999
KNIFE OF THE YEAR

	710
BLADE LENGTH	3.90" (9.90cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.80" (22.34cm)
CLOSED	4.90" (12.44cm)
WEIGHT	4.50oz (128.00g)
HANDLE THICKNESS	0.48" (12.00mm)

CONFIGURATIONS/MSRP			
710D2			$175
710SBKD2	SERR	BLK	$190

707 **SEQUEL**®

MCHENRY & WILLIAMS DESIGN • U.S.A.

The machined aluminum handles and black G10 inlays provide a secure grip in any situation.

- AXIS® locking mechanism
- Modified clip-point blade with ambidextrous thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Machined 6061-T6 aluminum handles with black G10 inlays, and a reversible tip-up pocket clip

	707
BLADE LENGTH	2.95" (7.50cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	6.75" (17.15cm)
CLOSED	3.80" (9.67cm)
WEIGHT	2.60oz (73.70g)
HANDLE THICKNESS	0.42" (10.67mm)

CONFIGURATIONS/MSRP			
707			$160
707S	SERR		$160
707BK		BLK	$175
707SBK	SERR	BLK	$175

BLUE CLASS

482 **MEGUMI**™ & 483 **SHORI**™

NAKAMURA DESIGN • U.S.A.

Any gentleman can appreciate these stylish yet durable pocket knives.

- Nak-Lok® locking mechanism
- S30V premium stainless steel blade (58-60HRC)
- 482: Clip-point blade style
  483: Utility blade style
- 482: Cocobolo wood and carbon fiber handle
  483: Contoured black G10 handle with aluminum bolster
- Steel backspacer with lanyard hole

	482	483
BLADE LENGTH	2.48" (6.30cm)	2.85" (7.24cm)
BLADE THICKNESS	0.11" (2.63mm)	0.11" (2.63mm)
OPEN	5.76" (14.63cm)	6.60" (16.76cm)
CLOSED	3.28" (8.33cm)	3.75" (9.53cm)
WEIGHT	1.85oz (52.4g)	2.52oz (71.5g)
HANDLE THICKNESS	0.46" (11.67mm)	0.46" (11.67mm)

CONFIGURATIONS/MSRP	
482	$225
483	$225

300 AXIS® FLIPPER

NO ROOM FOR ERROR

Physics and common sense says you can't. The right tools mean you can. The 300 leaves nothing to chance in situations where precision is mandatory. The convenience of a flipper, the speed and performance of an AXIS.®

162 **BUSHCRAFTER** NEW

SIBERT DESIGN • U.S.A.

Unsurpassed reliability for planned (or unplanned) adventures.

- High ground drop-point blade with polished finish
- S30V stainless steel blade (58-60HRC)
- Hand-blended and contoured green G10 handles with red vulcanized spacer held together with pressed titanium tubing
- Brushed full-grain buckskin leather sheath with D-ring and flint rod loop and retention strap

	162
BLADE LENGTH	4.43" (11.25cm)
BLADE THICKNESS	0.164" (4.17mm)
OPEN	9.20" (23.37cm)
WEIGHT	7.72oz (218.9g)
HANDLE THICKNESS	0.92" (23.37mm)

CONFIGURATION/MSRP	
162	$200

BLUE CLASS

755 **MPR**®

SIBERT DESIGN • U.S.A.

A stout titanium monolock designed by Shane Sibert. Overbuilt? Absolutely!

- Titanium monolock mechanism
- Tactical drop-point blade with thumb-stud opener
- M390 super steel blade (60-62HRC)
- Titanium and G10 handles with titanium tip-down pocket clip

	755
BLADE LENGTH	2.90" (7.37cm)
BLADE THICKNESS	0.164" (4.16mm)
OPEN	6.90" (17.52cm)
CLOSED	3.80" (9.65cm)
WEIGHT	5.50oz (156.58g)
HANDLE THICKNESS	0.61" (15.50mm)

CONFIGURATIONS/MSRP		
755		$245
755BK	BLK	$260

890 **TORRENT**®

STEIGERWALT DESIGN • U.S.A.

This Nitrous® Assist allows for quick, reliable opening.

- Modified locking-liner with Nitrous® Assist mechanism
- Modified drop-point blade with thumb-stud opener
- 154CM stainless steel blade (58-61HRC)
- Black G10 contoured handle scales with a deep-carry tip-down pocket clip

	890
BLADE LENGTH	3.60" (9.14cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	8.20" (20.83cm)
CLOSED	4.60" (11.68cm)
WEIGHT	3.50oz (99.00g)
HANDLE THICKNESS	0.60" (15.24mm)

CONFIGURATIONS/MSRP			
890			$160
890S	SERR		$160
890BK		BLK	$175
890SBK	SERR	BLK	$175

BLUE CLASS

62 **BALI-SONG**®

BENCHMADE DESIGN • U.S.A.

This Bali-Song® is sure to become a classic.

- D2 tool steel with a crowned Weehawk blade style (60-62 HRC)
- Machined stainless steel handle
- T-latch lock
- Includes nylon sheath
- 62T has stonewashed handles and blade length is approximately 3.75"

62

NEW

62T

67

63

	62/62T/67/63
BLADE LENGTH	4.25" (10.8cm)
BLADE THICKNESS	0.125" (3.18mm)
OPEN	9.20" (23.4cm)
CLOSED	5.27" (13.4cm)
WEIGHT	6.39oz (181.2g)
HANDLE THICKNESS	0.48" (12.19mm)

CONFIGURATIONS/MSRP	
62	$350
62T	$275
67	$350
63	$350

51 **MORPHO**® & 32 **MINI-MORPHO**®

BENCHMADE DESIGN • U.S.A.

These Bali-Songs® are awesome lightweight flippers.

- Patented nitrous latch-locking mechanism
- D2 tool steel crowned modified spear-point blade (60-62HRC)
- Machined and skeletonized black G10 handle scales with 6AL-4V titanium blue anodized and jeweled liners
- 6AL-4V blue anodized and laser-engraved titanium pocket clip

51

32

	32	51
BLADE LENGTH	3.25" (8.26cm)	4.25" (10.80cm)
BLADE THICKNESS	0.100" (2.57mm)	0.100" (2.57mm)
OPEN	7.35" (18.67cm)	9.35" (23.75cm)
CLOSED	4.39" (11.15cm)	5.40" (13.72cm)
WEIGHT	2.70oz (76.54g)	3.30oz (93.55g)
HANDLE THICKNESS	0.44" (11.25mm)	0.48" (12.20mm)

CONFIGURATIONS/MSRP	
32	$250
51	$270

BLUE CLASS

53 **MANGUS**®

MARLOWE DESIGN • U.S.A.

The unique bearing system on this Bali-Song® allows for smooth handle rotation.

- D2 tool steel flat grind utility blade (60-62 HRC)
- Contoured and textured green G10 handles
- Ball-bearing pivots
- Machined aluminum backspacer and latch
- Reversible tip-up pocket clip

	53
BLADE LENGTH	3.15" (8.00cm)
BLADE THICKNESS	0.140" (3.56mm)
OPEN	7.82" (19.86cm)
CLOSED	4.67" (11.86cm)
WEIGHT	3.50oz (99.22g)
HANDLE THICKNESS	0.60" (15.40mm)

CONFIGURATION/MSRP	
53	$200

GRIPTILIAN® FAMILY

BENCHMADE DESIGN • U.S.A.

AXIS® lock reliability, textured molded handle scales and premium blade steel make the Griptilian® the ultimate lightweight carry. All of our Griptilian® models feature the following:

- AXIS® locking mechanism with ambidextrous thumb-stud or thumb-hole opener
- 154CM stainless steel blade (58-61HRC)
- Glass-filled nylon handle material with stainless steel liners and a reversible tip-up pocket clip

	550HG/551/553	555HG/556/557
BLADE LENGTH	3.45" (8.76cm)	2.91" (7.38cm)
BLADE THICKNESS	0.115" (2.92mm)	0.100" (2.54mm)
OPEN	8.07" (20.50cm)	6.78" (17.21cm)
CLOSED	4.62" (11.73cm)	3.87" (9.82cm)
WEIGHT	3.25oz (92.13g)	2.56oz (72.57g)
HANDLE THICKNESS	0.64" (16.29mm)	0.51" (12.95mm)

551 / 556 Griptilian®

NSN: 5110-01-598-7727 (551SBK)

Modified drop-point blade with ambidextrous thumb-stud opener.

551SBK

556S

SHOOTING INDUSTRY ACADEMY OF EXCELLENCE 2002 KNIFE OF THE YEAR

551T-Trainer

Sand

Olive Drab

Orange

Yellow

Blue

Pink

CONFIGURATIONS/MSRP			
551			$110
551S	SERR		$110
551SBK	SERR	BLK	$125
551SBKOD	SERR	BLK	$125
551-ORG			$110
551S-ORG	SERR		$110
551SBK-ORG	SERR	BLK	$125
551SBKSN	SERR	BLK	$130
551H20			$130
551SH20	SERR		$130
551T (440C STEEL)			$90
556			$100
556S	SERR		$100
556SBK	SERR	BLK	$115
556SBKOD	SERR	BLK	$115
556-BLU			$100
556S-BLU	SERR		$100
556-YEL			$100
556S-YEL	SERR		$100
556-PNK			$100
556S-PNK	SERR		$100

*See above for sizes and weights

BLUE CLASS

550HG / 555HG Griptilian®

Hollow ground modified sheepsfoot blade with ambidextrous thumb-hole opener.

550HG

555SHG

550T-Trainer

Sand

Olive Drab

Yellow

Blue

Pink

CONFIGURATIONS/MSRP			
550HG			$110
550SHG	SERR		$110
550BKHG		BLK	$125
550SBKHG	SERR	BLK	$125
550BKHGOD		BLK	$125
550BKHGSN		BLK	$130
550T (440C STEEL)			$90
555HG			$100
555HG-BLU			$100
555HG-YEL			$100
555SHG	SERR		$100
555BKHG		BLK	$115
555SBKHG	SERR	BLK	$115
555SBKHGOD	SERR	BLK	$115
555SHG-BLU	SERR		$100
555SHG-YEL	SERR		$100
555HG-PNK			$100
555SHG-PNK	SERR		$100

*See pg 28 for sizes and weights

553 / 557 Griptilian®

Tanto blade with ambidextrous thumb-stud opener.

553SBK

557

Sand



Olive Drab

CONFIGURATIONS/MSRP			
553			$110
553S	SERR		$110
553SBK	SERR	BLK	$125
553SBKOD	SERR	BLK	$125
553SBKSN	SERR	BLK	$130
557			$100
557S	SERR		$100
557SBK	SERR	BLK	$115
557SBKOD	SERR	BLK	$115
557SBKSN	SERR	BLK	$120

*See pg 28 for sizes and weights

CUSTOM GRIPTILIAN®

BENCHMADE DESIGN • U.S.A.

Choose from a variety of blade steels, handle colors, custom laser etching, and hardware. The options are endless! To create your custom grip and see pricing options, please visit:

www.benchmade.com/customize



THE RIGHT TOOL FOR THE RIGHT CAUSE

A portion of the profits from the sale of this knife are donated to the OHSU Breast Cancer Institute. Available in 555HG and 556 versions.

MSRP: $100.

Benchmade is a proud supporter of the OHSU Breast Cancer Research Institute.

BLUE CLASS

551H20 Griptilian®

- Featuring highly corrosion resistant N680 blade steel (57-59 HRC)

	551H20
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.115" (2.92mm)
OPEN	8.07" (20.50cm)
CLOSED	4.62" (11.73cm)
WEIGHT	3.25oz (92.13g)
HANDLE THICKNESS	0.64" (16.29mm)

CONFIGURATIONS/MSRP		
551H20		$130
551SH20	SERR	$130

111H20

Our water knives offer great corrosion resistance, cutting ability and edge retention.

- AXIS® locking mechanism on folder, blunt tip on fixed blade
- N680 highly corrosion resistant blade steel (57-59HRC)
- Modified sheepsfoot blade style with ambidextrous thumb-stud
- Grivory® handle scales and a reversible tip-up pocket clip

	111H20 Folder
BLADE LENGTH	3.45" (8.76cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	8.07" (20.32cm)
CLOSED	4.62" (11.73cm)
WEIGHT	4.90oz (139.50g)
HANDLE THICKNESS	0.522" (13.26mm)

CONFIGURATIONS/MSRP		
111H20-BLK		$130
111SH20-BLK	SERR	$130
111H20-YEL		$130
111SH20-YEL	SERR	$130

Michael Waddell's

BONE COLLECTOR™

BENCHMADE'S BONE COLLECTOR LINE CELEBRATES THE CULTURE OF THE HUNTER, THE BROTHERHOOD OF SPORTSMEN WHO HAVE TRUE PASSION FOR THE HUNT, THE LAND AND THE LIFESTYLE.

NEW

15055

Handles are available in either green/black G10 or cocobolo wood

15055	
BLADE LENGTH	2.89" (7.34cm)
BLADE THICKNESS	0.114" (3.66mm)
OPEN	6.54" (16.61cm)
CLOSED	3.65" (9.27cm)
WEIGHT	3.65oz (103.5g)
HANDLE THICKNESS	0.45" (11.43mm)

CONFIGURATIONS/MSRP

15055-1	Green/Blk	$130
15055-2	Wood	$130

BONE COLLECTOR™

KNIVES FEATURE:

- D2 tool steel (60-62HRC)
- Contoured with rib cage pattern for extra grip

15050
Lock-Back Folding Knives

Handles are available in either green Micarta or cocobolo wood, aluminum bolster.

15050	
BLADE LENGTH	3.73" (9.47cm)
BLADE THICKNESS	0.13" (3.27mm)
OPEN	8.48" (21.54cm)
CLOSED	4.75" (12.07cm)
WEIGHT	3.75oz (106.2g)
HANDLE THICKNESS	0.53" (3.65mm)

CONFIGURATIONS/MSRP

15050	Gr Micarta	$140
15050-2	Wood	$140

Official Licensed product of Michael Waddell's Bone Collector.™ Bone Collector is a registered trademark of Michael Waddell LLC

BONE COLLECTOR™

KNIVES FEATURE:

- D2 tool steel (60-62HRC)
- Contoured with rib cage pattern for extra grip

15020/15030 AXIS® Folding Knives

Two handle options available: layered green/black G10 or walnut wood.

15020-2

15030-1

	15020	15030
BLADE LENGTH	3.36" (8.50cm)	2.95" (7.50cm)
BLADE THICKNESS	0.125" (3.14mm)	0.115" (2.87mm)
OPEN	8.20" (20.80cm)	7.08" (18.00cm)
CLOSED	4.84" (12.30cm)	4.13" (10.50cm)
WEIGHT	5.59oz (165.50g)	3.46oz (102.50g
HANDLE THICKNESS	0.735" (18.66mm)	0.62" (15.69mm)

CONFIGURATIONS/MSRP		
15020-1	Green/Blk	$155
15020S-1	Green/Blk	$155
15020-2	Wood	$160
15020S-2	Wood	$160
15030-1	Green/Blk	$140
15030S-1	Green/Blk	$140
15030-2	Wood	$145
15030S-2	Wood	$145

BONE COLLECTOR™

Fixed Blade Knives

- 15000/15005/15010
- D2 tool steel (60-62HRC)
- Layered green/black G10 or walnut wood
- 15015: Micarta or cocobolo wood

15010-1

15005-2

15000-1

15015-2*

15040 Gut Hook

Makes cleaning game as easy as unzipping your jacket. 440C stainless steel full-tang blade (58-60HRC).

length: 5.71" (14.50cm)
weight: 1.54oz (45.50g)

GENUINE LEATHER
Fixed blade sheaths
Brown: Wood handle
Black: G10 handle
***sheath not pictured for 15015**

	15000	15005/15010	15015
BLADE LENGTH	4.00" (10.20cm)	4.10" (10.40cm)	2.68" (6.81cm)
BLADE THICKNESS	0.125" (3.17mm)	0.140" (3.55mm)	0.14" (3.56mm)
OVERALL LENGTH	8.00" (20.30cm)	8.125" (20.60cm)	6.30" (16.00cm)
WEIGHT	3.46oz (98.50g)	4.50oz (128.11g)	3.01oz (85.2g) (wood)
HANDLE THICKNESS	0.59" (14.98mm)	0.60" (15.23mm)	0.57" (14.70mm)

CONFIGURATIONS/MSRP		
15000-1	Green/Blk	$105
15000-2	Wood	$115
15000S-2	Wood	$115
15000S-1	Green/Blk	$105
15005-1	Green/Blk	$120
15005-2	Wood	$130
15010-1	Green/Blk	$120
15010-2	Wood	$130
15015	Micarta	$110
15015-2	Wood	$120
15040		$35

This product is manufactured and distributed by Benchmade Knife Company, Oregon City, OR, USA. www.benchmade.com

BLACK CLASS

Used by professionals when quality tools can mean the difference between life and death. From law enforcement and public safety to elite military troops, our obligation is still the same: The best equipment for the job. Imagine what they can do for you.

MOLLE COMPATIBLE

275 Manual / 2750 Automatic

- 275 Folder: AXIS® locking mechanism with thumb-stud opener
  2750 Auto: Auto-AXIS® locking mechanism
- D2 tool steel (60-62HRC)
- Tactical drop-point blade style
- G10 handle with lanyard hole and full stainless steel liners
- Reversible deep-carry tip-up pocket clip

275BK

Sheath with Malice Clip® included

275SBKSN

175 Fixed Blade

175BKSN

	175	275/2750	375
BLADE LENGTH	2.50" (6.35cm)	3.82" (9.70cm)	4.20" (10.68cm)
BLADE THICKNESS	0.125" (3.175mm)	0.160" (4.06mm)	0.170" (4.32mm)
OVERALL LENGTH	5.47" (13.893cm)	8.70" (22.10cm)	9.03" (22.93cm)
CLOSED	–	4.88" (12.40cm)	–
WEIGHT	2.32oz (65.77g)	275: 7.68oz (217.50g) 2750: 7.54oz (213.60g)	5.60oz (158.75g)
HANDLE THICKNESS	0.25" (6.35mm)	0.73" (18.54mm)	0.17" (4.32mm)
SHEATH WEIGHT	1.70oz (48.19g)	1.50oz (42.52g)	1.11 oz (31.61g)

BLACK CLASS

Rangers Lead the Way

Benchmade Knife Company is proud to donate a portion of the proceeds from the sale of these knives to the Ranger Assistance Foundation. For more information, please visit benchmade.com/adamas.

375 Fixed Blade

- D2 tool steel (60-62HRC)
- Drop-point blade style with serrations on spine
- Injection-molded sheath with secondary locking strap and tension screw

375SN

375BKSN
Includes
Sand Sheath

Tek-Lok included

CORD WRAP
(paracord included)
To view video, scan code below or visit: www.benchmade.com/375

CONFIGURATIONS/MSRP			
2750BKSN		BLK	$250
2750SBKSN	SERR	BLK	$250
275BK		BLK	$195
275SBK	SERR	BLK	$195
275BKSN		BLK	$195
275SBKSN	SERR	BLK	$195
375SN		SAND	$160
375BKSN		BLK	$160
375BK		BLK	$160
175BK		BLK	$100
175BKSN		BLK	$100

375 ADAMAS®

FAILURE IS NOT AN OPTION

There's a reason military personnel the world over carry tools like the 375. They work indefinitely. Until the job is done. No matter what the landscape, the Adamas® promises military-grade utility you can rely on.



INFIDEL® FAMILY

MCHENRY DESIGN • U.S.A.

MOLLE COMPATIBLE

3300 Infidel®

NSN: 1095-01-598-4471 (3300BK)

The Infidel's® out-the-front mechanism is smooth and rock solid.

- Double action out-the-front auto
- Double-edge spear-point blade with ambidextrous thumb slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061 T-6 aluminum handle with removable deep-carry pocket clip
- Integrated cleaning port

Sheath with Malice Clip® included

3350 Mini-Infidel®

NSN: 1095-01-598-4471 (3300BK)

Our popular Infidel® out-the-front auto comes in a slightly smaller package.

- Double action out-the-front auto
- Double-edge spear-point blade with ambidextrous thumb slide
- D2 tool steel blade (60-62HRC)
- Black anodized, machined 6061 T-6 aluminum handle with removable deep-carry pocket clip
- Integrated cleaning port

Sheath with Malice Clip® included

	3300	3350
BLADE LENGTH	3.91" (9.93cm)	3.10" (7.87cm)
BLADE THICKNESS	0.118" (2.99mm)	0.104" (2.28mm)
OPEN	8.91" (22.63cm)	7.10" (21.35cm)
CLOSED	5.00" (12.70cm)	4.00" (10.16cm)
WEIGHT	4.90oz (138.91g)	3.40oz (100.55g)
HANDLE THICKNESS	0.59" (14.90mm)	0.54" (13.71mm)

CONFIGURATIONS/MSRP		
3300		$465
3300BK	BLK	$480
3350		$395
3350BK	BLK	$410

BLACK CLASS

MOLLE COMPATIBLE

9051/9052 AFO II

BENCHMADE DESIGN • U.S.A.

The AFO II push-button auto has become a proven tool used in all branches of the Armed Forces.

- Push-button automatic with integrated safety
- 9051: drop-point blade style
  9052: tanto blade style
- 154CM stainless steel blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with open backspacer
- Four possible clip positions; reversible, tip-up or tip-down

9052 Tanto

9051SBK Drop-Point

Sheath included

	9051/9052
BLADE LENGTH	3.56" (9.0cm)
BLADE THICKNESS	0.125" (3.175mm)
OPEN	8.51" (21.6cm)
CLOSED	4.95" (12.6cm)
WEIGHT	5.8oz (164.42g)
HANDLE THICKNESS	0.60" (15.23mm)

CONFIGURATIONS/MSRP			
9051			$240
9051S	SERR		$240
9051BK		BLK	$255
9051SBK	SERR	BLK	$255
9052			$240
9052S	SERR		$240
9052BK		BLK	$255
9052SBK	SERR	BLK	$255

9101 **AUTO STRYKER®**
9500 **MINI-AUTO STRYKER®**

BENCHMADE DESIGN • U.S.A.

NSN: 1095-01-577-1801 (9101SBK)

The 9101 next generation Auto-Stryker® incorporates a larger, stronger locking button, open back spacer design for easy maintenance and increased spring force.

- Push-button automatic with integrated safety
- 154CM stainless steel tanto blade (58-61HRC)
- Machined 6061 T-6 black anodized aluminum handle
- 9101: Four possible clip positions; reversible, tip-up or tip-down

9101BK

9500SBK

	9101	9500
BLADE LENGTH	3.60" (9.10 cm)	2.95" (7.49cm)
BLADE THICKNESS	0.124" (3.15mm)	0.100" (2.54mm)
OPEN	8.30" (21.08cm)	7.21" (18.31cm)
CLOSED	4.70" (11.94cm)	4.26" (10.82cm)
WEIGHT	4.20oz (110.56g)	2.90oz (82.21g)
HANDLE THICKNESS	0.50" (12.70mm)	0.47" (11.90mm)

CONFIGURATIONS/MSRP			
9101BK		BLK	$255
9101SBK	SERR	BLK	$255
9500SBK	SERR	BLK	$210

BLACK CLASS

2550 **MINI-REFLEX**

BENCHMADE DESIGN • U.S.A.

Test your reflexes with this small, push-button auto.

- Push-button automatic with integrated safety
- 154CM stainless steel utility drop-point blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with tip-up pocket clip

	2550
BLADE LENGTH	3.16" (8.03cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	7.32" (18.59cm)
CLOSED	4.16" (10.57cm)
WEIGHT	2.70oz (76.54g)
HANDLE THICKNESS	0.47" (11.90mm)

CONFIGURATIONS/MSRP			
2550			$195
2550SBK	SERR	BLK	$210

3550

PARDUE DESIGN • U.S.A.

The spear-point blade shape of this small auto offers enhanced tip qualities.

- Push-button automatic with integrated safety
- 154CM stainless steel spear-point blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with tip-down pocket clip

	3550
BLADE LENGTH	2.98" (7.57cm)
BLADE THICKNESS	0.090" (2.29mm)
OPEN	7.10" (18.03cm)
CLOSED	4.10" (10.41cm)
WEIGHT	2.80oz (79.38g)
HANDLE THICKNESS	0.47" (11.90mm)

CONFIGURATIONS/MSRP			
3550			$195
3550SBK	SERR	BLK	$210

3150 **IMPEL®**

LERCH DESIGN • U.S.A.

The perfect small, gentleman's auto.

- Push-button auto with integrated safety
- Modified drop-point blade style
- S30V premium stainless steel (58-60HRC)
- Machined aluminum handle with G10 inlay and tip-down pocket clip

	3150
BLADE LENGTH	1.98" (5.02cm)
BLADE THICKNESS	0.100" (2.54mm)
OPEN	5.03" (12.77cm)
CLOSED	3.06" (18.03cm)
WEIGHT	2.10oz (62.10g)
HANDLE THICKNESS	0.35" (8.88mm)

CONFIGURATIONS/MSRP		
3150		$160
3150BK	BLK	$175

BLACK CLASS

810 **CONTEGO™**

OSBORNE DESIGN • U.S.A.

Latin for "protect" or "shield," the Contego tactical folder is built with toughness and durability for any occasion.

- AXIS® locking mechanism
- Reverse tanto blade with ambidextrous thumb-stud openers
- CPM-M4 steel blade with gray or black Cerakote™ (62-64HRC)
- Textured G10 handle scales with stainless steel backspacer, full liners and reversible deep-carry tip-up pocket clip
- Carbide glass breaker

Glass breaker

	810
BLADE LENGTH	3.98" (10.11cm)
BLADE THICKNESS	0.156" (3.96mm)
OPEN	9.28" (23.57cm)
CLOSED	5.30" (13.46cm)
WEIGHT	5.92oz (167.7g)
HANDLE THICKNESS	0.55" (13.91mm)

CONFIGURATIONS/MSRP			
810		GRAY	$210
810S	SERR	GRAY	$210
810BK		BLK	$210
810SBK	SERR	BLK	$210

9170 **AUTO TRIAGE®** NEW

BENCHMADE DESIGN • U.S.A.

The dynamic Triage® packaged in high-strength aluminum with the speed and efficiency of AXIS® auto and an automatic opening hook.

- AXIS® pull release with integrated safety
- Modified drop-point blade style
- N680 highly corrosion resistant blade steel (57-59HRC)
- 440C automatic opening hook-shaped safety cutter (58-60HRC)
- Anodized black aluminum handles with textured G10 inlays
- Carbide glass breaker

	9170
BLADE LENGTH	3.58" (9.09cm)
BLADE THICKNESS	0.124" (3.15mm)
OPEN	8.31" (21.11cm)
CLOSED	4.73" (12.01cm)
WEIGHT	5.75oz (163.0g)
HANDLE THICKNESS	0.58" (14.73mm)

CONFIGURATIONS/MSRP	
9170	$270
9170S	$270
9170BK	$285
9170SBK	$285
9170-ORG	$270
9170S-ORG	$270
9170BK-ORG	$285
9170SBK-ORG	$285

Sheath optional, see page 70.
984094F and 984093F

BLACK CLASS

915 **TRIAGE®** & 916 **TRIAGE®**

BENCHMADE DESIGN • U.S.A.

NSN: 4240-01-598-4341 (916SBK)

This dynamic triple utility tool includes a knife, safety hook and glass breaker.

- AXIS® locking mechanism
- 915: Modified sheepsfoot blade style
  916: Opposing bevel blade style
- Ambidextrous thumb studs
- N680 highly corrosion resistant blade steel (57-59HRC)
- 440C hook-shaped safety cutter (58-60HRC)
- Textured G10 handles (available in black or safety orange) with full stainless steel liners and a reversible deep-carry tip-up pocket clip
- Carbide glass breaker

Glass breaker

2011 KNIFE OF THE YEAR

915 Sheepsfoot

916SBK-ORG
Opposing Bevel

	915/916
BLADE LENGTH	3.50" (8.89cm)
HOOK LENGTH	2.00" (5.08cm)
BLADE THICKNESS	0.130" (3.02mm)
OPEN	8.20" (20.82cm)
CLOSED	4.70" (11.93cm)
WEIGHT	5.10oz (144.58g)
HANDLE THICKNESS	0.45" (11.43mm)

CONFIGURATIONS/MSRP			
915			$170
915S	SERR		$170
915BK		BLK	$185
915SBK	SERR	BLK	$185
915-ORG			$170
915S-ORG	SERR		$170
915BK-ORG		BLK	$185
915SBK-ORG	SERR	BLK	$185
916			$170
916S	SERR		$170
916BK		BLK	$185
916SBK	SERR	BLK	$185
916-ORG			$170
916S-ORG	SERR		$170
916BK-ORG		BLK	$185
916SBK-ORG	SERR	BLK	$185

Sheath optional, see page 70.
984094F and 984093F

AUTO TRIAGE®

THE WORST MOMENTS THE BEST EQUIPMENT

Maybe it's leather boots. Triple-paned glass. Layers of fire-retardant camo. Whatever stands between you and the rescue won't, with the Triage.®

8600 **AUTO BEDLAM®** & 860 **MANUAL BEDLAM®**

BENCHMADE DESIGN • U.S.A.

The scimitar-like blade on this big folder offers great functionality and a unique look and feel.

- 8600: AXIS® pull release with integrated safety
- 860: AXIS® locking mechanism and ambidextrous thumb-stud openers
- 154CM stainless steel blade (58-61HRC)
- Black G10 handle scales with reversible tip-up deep-carry pocket clip

	8600/860
BLADE LENGTH	4.00" (10.16cm)
BLADE THICKNESS	0.121" (3.175mm)
OPEN	9.76" (24.79cm)
CLOSED	5.76" (14.64cm)
WEIGHT	7.30oz (207.83g)
HANDLE THICKNESS	0.60" (15.18mm)

CONFIGURATIONS/MSRP			
8600BK		BLK	$280
8600SBK	SERR	BLK	$280
860			$225
860SBK	SERR	BLK	$240

BLACK CLASS

9555 **AUTO RIFT®** & 950/950-1 **MANUAL RIFT®**

BENCHMADE DESIGN • U.S.A.

Reverse tanto for toughness, large-bellied blade for utility cutting, and textured G10 handle scales help you get a firm grip on any situation.

- 9555: AXIS® pull release with integrated safety
- 950/950-1: AXIS® locking mechanism with ambidextrous thumb-stud openers
- 154CM stainless steel blade (58-61HRC)
- G10 handle scales with reversible tip-up pocket clip

9555 Automatic

950-1 Black Handles
950 Layered Black & Gray Handles
(Manual only)

	9555/950/950-1
BLADE LENGTH	3.67" (9.32cm)
BLADE THICKNESS	0.114" (2.90mm)
OPEN	8.27" (21.00cm)
CLOSED	4.60" (11.68cm)
WEIGHT	4.80oz (136.08g)
HANDLE THICKNESS	0.56" (14.28mm)

CONFIGURATIONS/MSRP			
9555			$245
9555S	SERR		$245
9555BK		BLK	$260
9555SBK	SERR	BLK	$260
950			$190
950SBK	SERR	BLK	$205
950-1			$190
950SBK-1	SERR	BLK	$205

PRESIDIO® FAMILY

PARDUE DESIGN • U.S.A.

MOLLE COMPATIBLE

NSN: 4220-01-546-0478 (5000SBK)

A multi-directional positive grip defines these tough, reliable folders.

- Auto features AXIS® pull release with integrated safety
- Manual features AXIS® locking mechanism and ambidextrous thumb-studs
- 154CM stainless steel blade (58-61HRC)
- Black anodized, machined 6061 T-6 aluminum handle with double 420J liners and a reversible tip-up pocket clip
- MOLLE® soft sheath (5000 only)

Presidio Tanto
5300SBK (Automatic)

Presidio Drop-Point
5000SBK (Automatic)
520 (Manual)

5000 includes sheath with Malice Clip®

Mini-Presidio
5500SBK (Automatic)
525 (Manual)

520T - Manual Trainer

5000T - Auto-Trainer

CONFIGURATIONS/MSRP AUTOMATICS			
5000			$245
5000SBK	SERR	BLK	$260
5000T			$155
5300SBK	SERR	BLK	$260
5500			$220
5500S	SERR		$220
5500BK		BLK	$235
5500SBK	SERR	BLK	$235

	5000/520/5300	5500/525
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.54cm)
BLADE THICKNESS	0.125" (3.175mm)	0.115" (2.92mm)
OPEN	8.25" (20.96cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	5.60oz (158.76g)	3.70oz (104.89g)
HANDLE THICKNESS	0.64" (16.30mm)	0.50" (12.60mm)

CONFIGURATIONS/MSRP MANUAL			
520			$190
520SBK	SERR	BLK	$205
520T			$130
525			$175
525S	SERR		$175
525SBK	SERR	BLK	$190

BLACK CLASS

PRESIDIO ULTRA® FAMILY

PARDUE DESIGN • U.S.A.

These tactical, lightweight autos deliver strength and speed in any situation.

- Auto features AXIS® pull release with integrated safety
- Manual features AXIS® locking mechanism and ambidextrous thumb-studs
- 440C stainless steel drop-point blade (58-60HRC)
- Noryl GTX® handle with reversible tip-up pocket clip

Mini-Presidio Ultra
527SBK (Manual)
5270SBK (Automatic)

Predisio Ultra
522SBK (Manual)
5220SBK (Automatic)

Benchmade is pleased to partner with USA Shooting to help in their mission of preparing American athletes to win Olympic medals and promote shooting sports throughout the United States. A portion of the proceeds from every unit sold will be donated to the USA Shooting Team.

For more info, please visit www.usashooting.org.

527BK-USA $115 527SBK-USA $115

CONFIGURATIONS/MSRP AUTOMATICS			
5220			$210
5220S	SERR		$210
5220BK		BLK	$225
5220SBK	SERR	BLK	$225
5270			$190
5270S	SERR		$190
5270BK		BLK	$205
5270SBK	SERR	BLK	$205

	522/5220	527/5270
BLADE LENGTH	3.47" (8.81cm)	2.97" (7.54cm)
BLADE THICKNESS	0.125" (3.175mm)	0.115" (2.92mm)
OPEN	8.25" (20.96cm)	7.12" (18.08cm)
CLOSED	4.87" (12.37cm)	4.15" (10.54cm)
WEIGHT	4.80oz (136.07g)	3.10oz (87.88g)
HANDLE THICKNESS	0.64" (16.30mm)	0.50" (12.60mm)

CONFIGURATIONS/MSRP MANUAL			
522			$110
522S	SERR		$110
522BK		BLK	$125
522SBK	SERR	BLK	$125
527			$100
527S	SERR		$100
527BK		BLK	$115

140/141 NIMRAVUS®

MOLLE COMPATIBLE

BENCHMADE DESIGN • U.S.A.

NSN: 1095-01-466-8569 (140SBK)

Our all-time best-selling combat fixed blade.

- 140: Drop-point blade style
  141: Modified tanto blade style
- 154CM stainless steel blade (58-61HRC)
- Full-tang anodized, machined 6061 T-6 aluminum handle
- Includes multifunction MOLLE® compatible nylon sheath

141SBK

140BK

Black

140T Trainer

Coyote (SN)

Other sheath options available separately.

	140	141
BLADE LENGTH	4.50" (11.43cm)	4.50" (11.43cm)
BLADE THICKNESS	0.115" (2.92mm)	0.115" (2.92mm)
OVERALL LENGTH	9.45" (24.00cm)	9.45" (24.00cm)
WEIGHT	6.20oz (174.95g)	5.86oz (161.13g)
HANDLE THICKNESS	0.58" (14.79mm)	0.58" (14.79mm)
SHEATH WEIGHT	5.00oz (141.75g)	5.00oz (141.75g)

CONFIGURATIONS/MSRP			
140BK		BLK	$180
140SBK	SERR	BLK	$180
140SBKSN	SERR	BLK	$195
140SBK-ADC	SERR	BLK	$195
140T (440C STEEL)			$140
141BK		BLK	$180
141SBK	SERR	BLK	$180
141SBKSN	SERR	BLK	$195
141SBK-ADC	SERR	BLK	$195

BLACK CLASS

MOLLE COMPATIBLE

NEW 172BKF TOMAHAWK

KILLIAN DESIGN • U.S.A.

NSN: 4240-01-598-4253 (172BKF)

Differentially heat treated, the 4140 steel and textured G10 handles make this tomahawk a very dynamic tool.

- 4140 carbon blade steel
- Full-tang handle with textured G10 cross-hatched pattern for ultimate grip
- Contoured wedged end for prying
- Differentially heat treated for increased durability
- Includes MOLLE® compatible sheath–visit www.benchmade.com.

	172BKF
HEAD LENGTH	7.50" with 3.50" edge face
SPIKE LENGTH	3.50" (8.90cm)
BLADE THICKNESS	0.360" (9.14mm)
OVERALL LENGTH	16.25" (41.27cm)
WEIGHT	36.8oz (1.04kg)
HANDLE THICKNESS	0.96" (24.38mm)
SHEATH WEIGHT	5.50oz (155.92g)

CONFIGURATION/MSRP		
172BKF	BLK	$380

176 **SOCP DAGGER**

THOMPSON DESIGN • U.S.A.

MOLLE COMPATIBLE

This 176 SOCP skeletonized dagger is the optimal tool for self-defense.

- Skeletonized fixed blade dagger or trainer; features premium blade steel
- Finger loop for ease of deployment and use
- Injection-molded sheath in black or sand with clip and lanyard cord

176T

176BKSN

	176 DAGGER	176 TRAINER
DAGGER LENGTH	7.25" (18.42cm)	6.81" (17.30cm)
BLADE LENGTH	3.22" (8.18cm)	2.78" (7.06cm)
HANDLE LENGTH	4.03" (10.24cm)	4.03" (10.24cm)
DAGGER THICKNESS	0.195" (4.70mm)	0.175" (4.70mm)
WEIGHT	2.20oz (62.37g)	2.31oz (65.49g)
SHEATH WEIGHT	1.00oz (28.35g)	1.00oz (28.35g)

CONFIGURATIONS/MSRP		
176BK Black dagger & black sheath	BLK	$100
176BK-COMBO Black dagger & sheath with trainer	BLK	$140
176BKSN Black dagger & sand sheath	BLK	$100
176BKSN-COMBO Black dagger & sand sheath with trainer	BLK	$140
176T Trainer with sheath		$60

BLACK CLASS

MOLLE COMPATIBLE

175 **CBK**

BENCHMADE DESIGN • U.S.A.

A versatile push dagger designed for durability and strength.

- 440C stainless steel double-edge spear-point with chisel-ground edge (58-60HRC)
- Vinyl coated handle, full-tang
- Molded Kydex®/thermoplastic sheath with reversible belt clip to fit up to a 2-inch duty belt (available in black or sand)

175BK

175BKSN

	175
BLADE LENGTH	2.50" (6.35cm)
BLADE THICKNESS	0.125" (3.175mm)
OVERALL LENGTH	5.47" (13.893cm)
WEIGHT	2.32oz (65.77g)
HANDLE THICKNESS	0.25" (6.35mm)
SHEATH WEIGHT	1.70oz (48.19g)

CONFIGURATIONS/MSRP		
175BK	BLK	$100
175BKSN	BLK	$100

SAFETY CUTTER FAMILY

BENCHMADE DESIGN • U.S.A.

MOLLE COMPATIBLE

Cut quickly and reliably in an emergency situation. All of our safety cutters are made alongside our knives in the U.S.A.

- 440C premium stainless steel used in 5, 7 and 8 hooks (58-60HRC)
- Sheath color options are black, coyote and foliage green
- Blade opening: 0.50" (12.67mm)

8 Hook

NSN: 4240-01-568-3219 (8BLKW)

The longer handle provides greater reach and leverage.

8 BLKWMED

NSN: 4240-01-599-4970 (8BLKWMED)

This hook is ideal for cutting bandages, medical tubing, casts and uniforms. O_2 wrench laser cut in blade. 8 BLKWMED includes a carbide glass breaker.

	8 BLKW
OVERALL LENGTH	6.50" (16.51cm)
WEIGHT	1.50oz (42.97g)

CONFIGURATIONS/MSRP		
8 BLKW	BLK	$35
8 BLKWMED	BLK	$35

BLACK CLASS

MOLLE COMPATIBLE

SAFETY CUTTER FAMILY

BENCHMADE DESIGN • U.S.A.

7 Hook

NSN: 4240-01-543-9618 (7BLKW)

The larger handle design works well with gloved hands and the coated handle allows for better grip.

Sheath available in sand: 7 BLKWSN

5 Hook

This small, compact design is great for lightweight carry.

	7 Hook	5 Hook
OVERALL LENGTH	4.30" (10.92cm)	2.90" (7.37cm)
WEIGHT	1.50oz (42.97g)	1.20oz (33.97g)

CONFIGURATIONS/MSRP		
7 BLKW	BLK	$35
7 BLKWSN	BLK	$35
5 BLKW	BLK	$35

SAFETY CUTTER FAMILY

BENCHMADE DESIGN • U.S.A.

9 CB Hook®

Cuts up to 1/2"-diameter rope and features a retractable safety blade cover. A carabiner clip and bottle opener complete the package.

Houdini Pro

Professional rescue tool featuring a window breaker, seatbelt cutter and LED flashlight. Made in China.

9 CB Hook	
LENGTH	5.19" (13.18cm)
WEIGHT	0.80oz (22.77g)

CONFIGURATIONS/MSRP	
9 CB-BLK	$30
9 CB-YEL	$30
30200 yellow	$40
30210 black	$40

BLACK CLASS

NARCOTICS PROBES & INTERDICTION KIT

BENCHMADE DESIGN • U.S.A.

Safely inspect suspicious packages, cargo, seat upholstery, tires and more with these high-grade aluminum probes.

- Our probes come in a variety of lengths and diameters, ranging in size from 64" for the model 164 to 18" for models 118 and 124
- Each probe has a pointed, perforated tip for sample extraction and retention
- Threaded construction allows for easy assembly
- Combo kit includes 118 probe, 8 Hook safety cutter and model 916 Triage® knife



	118	124	164
LENGTH	18.34" (46.58cm)	18.55" (47.12cm)	64.55" (163.96cm)
DIAMETER	0.188" (4.76mm)	0.375" (9.59mm)	0.375" (9.59mm)
WEIGHT	1.49oz (42.2g)	13.61oz (385.7g)	20.77oz (589g)
SHEATH WEIGHT	0.99oz (28.0g)	1.34oz (38.0g)	2.91oz (82.6g)

Kit Includes:

124/8 BLKH-COMBO

CONFIGURATIONS/MSRP	
118	$65
124	$120
124/8-BLKH	$140
124/8-COMBO	$350
164	$160

5000SBK
AUTO-PRESIDIO
4220-01-546-0478
PAGE 54

3350BK
MINI-INFIDEL
1095-01-598-4343
PAGE 42

583SBK
BARRAGE
1095-01-598-4472
PAGE 12

3300BK
INFIDEL
1095-01-598-4471
PAGE 42

916SBK
TRIAGE
4240-01-598-4341
PAGE 49

172BKF
TOMAHAWK
4240-01-598-4253
PAGE 57

7 BLKW HOOK
4240-01-543-9618
PAGE 61

8 BLKWMED HOOK
4240-01-599-4970
PAGE 60

8 BLKW HOOK
4240-01-568-3219
PAGE 60

NSN/GSA PROCUREMENT INSTRUCTIONS

- Visit our Dealer Locator at BENCHMADE.COM and enter your zip code to find your nearest dealer.
- Purchase certain Benchmade knives through the National Stocking System.
- Benchmade knives are offered by General Services Administration Federal Supply Service. Visit GSAADVANTAGE.GOV. Our contract number is: GS-07F-0537T.
- Register as a new Benchmade Public Safety customer at benchmade.com. Make sure to submit an online "Auto Knife Opening Acknowledgement" agreement if you ever plan to purchase restricted products.
- Email us at military@benchmade.com and you will be in direct contact with Benchmade's Fed/Gov Sales Department.

ADAMAS
375BK
1095-01-609-1271
PAGE 39

ADAMAS
375SN
1095-01-609-1274
PAGE 39

176BK-COMBO
SOCP
1095-01-609-1246
PAGE 58

176BKSN-COMBO
SOCP
1095-01-609-1266
PAGE 58

Our precision crafted writing tools are proudly made in the U.S.A.

- Ergonomic knurling patterns
- Anodized aluminum bodies, with the addition of titanium, stainless steel or damascus in the 1100
- Caps securely snap open or closed
- Fisher ink cartridges - refills available at benchmade.com

1200

1210

	1200	1210
PEN THICKNESS	0.39" (1.00cm)	0.58" (1.47cm)
OPEN W/OUT CAP	5.03" (13.80cm)	5.78" (14.70cm)
CLOSED W/ CAP	5.98" (15.17cm)	6.00" (15.26cm)
ALUMINUM WEIGHT	0.95oz (26.93g)	1.30oz (36.85g)

CONFIGURATIONS/MSRP		
1200-1	Silver / Blue Ink	$150
1200-2	Silver / Black Ink	$150
1200-3	Black / Blue Ink	$150
1200-4	Black / Black Ink	$150
1210-1	Silver / Blue Ink	$150
1210-2	Silver / Black Ink	$150
1210-3	Black / Blue Ink	$150
1210-4	Black / Black Ink	$150

BENCHMADE **PENS**
BENCHMADE DESIGN • U.S.A.

1100 Series

ALUMINUM

1100-1 (Blue Ink)

1100-2 (Black Ink)

1101-1 (Blue Ink & Tip)
1101-2 (Black Ink & Tip)

Carbide tip breaks glass

1100-5 (Blue Ink)
1100-6 (Black Ink)

1100-7 (Blue Ink)

1100-8 (Black Ink)

1100-9 (Blue Ink)
1100-10 (Black Ink)

TITANIUM

1100-15 (Blue ink)
1100-16 (Black ink)

STAINLESS STEEL

1100-3 (Blue Ink)
1100-4 (Black Ink)

DAMASCUS

1100-13 (Blue Ink)
1100-14 (Black Ink)

Damascus pattern detail

	1100
PEN THICKNESS	0.50" (1.27cm)
OPEN W/OUT CAP	5.10" (12.97cm)
CLOSED W/ CAP	5.33" (13.54cm)
ALUMINUM WEIGHT	1.30oz (36.85g)
STAINLESS WEIGHT	3.20oz (90.72g)
DAMASCUS WEIGHT	3.20oz (90.72g)

CONFIGURATIONS/MSRP		
1100	Aluminum	$120
1100	Aluminum with Carbide Tip	$130
1100	Titanium	$210
1100	Stainless Steel	$180
1100	Damascus	$250

Blue Classic
Short-Sleeve Tee, Blue
M, L, XL, 2XL $20.00

Front Left Chest

Back

Failure is Not an Option
Short-Sleeve Tee, Black
M, L, XL, 2XL $20.00

Tribal Band
Slimmer Fit Short-Sleeve Tee,
Asphalt Gray
MENS – M, L, XL, 2XL $20.00
LADIES – S, M, L, XL $20.00

No Time for Maybe
Short-Sleeve Tee, Sand
M, L, XL, 2XL $20.00

Sting Like a Butterfly
Long-Sleeve Hoodie, Black
M, L, XL, 2XL $40.00

Back

Full-zip Hoodie
Full Zip Hoodie, Black
S, M, L, XL, 2XL $50.00

Men's OGIO® Jacket
- 100% poly stretch shell bonded to poly mesh with a laminated film insert for wind and water resistance
- 3,000MM waterproof rating
- 3,000G/M breathability rating

S, M, L, XL, 2XL; Black $115.00

Ladies' OGIO® Polyfleece
- 100% poly interlock bonded to 12-ounce, 100% poly microfleece
- Zip-through cadet collar with rib knit detail

XS, S, M, L, XL, 2XL; Blue $75.00

Full-zip Fleece
Extra soft fleece with stylish microfiber overlays at the shoulders, sleeves and hips. Embroidered logo on left chest. Available in brown or black.
XS, S, M, L, XL, 2XL $65.00

Benchmade Pint Glass
988053F $10.00

Logo Beanie
983793F – Gray $12.00
988051F – Black $12.00

Black Flexfit® Hat
983881F – S-M $20.00
983798F – L-XL..... $20.00

Tactical Hat
987908F; Coyote Tan $20.00

Trucker "Solid Steel"
983881F – S-M $20.00
983798F – L-XL..... $20.00

X-Marks the Spot
987908F; Coyote Tan... $20.00

Folder Pouch (MOLLE® Compatible)

These snap-over hood closure pouches secure the knife well and can be used for belt carry with the Malice Clip® (included), and are MOLLE® system enabled too. Heavy stitch and elasticized fit offer a true fit. Made in USA.

MOLLE® Folder Pouch..... $25.00

A. 984818F – Black for models 3300 and 9051/9052

B. 984094F – Black for models 5000, 915/916 and 9170

C. 984093F – Coyote for models 5000, 915/916 and 9170

C. B. A.

140/141 Fixed Sheath (MOLLE® Compatible)

Sheaths come standard with Malice Clip® and Velcro® adjustable belt hanger for belt carry. Heavy stitch and hard liners stow the knife securely and a snap-around closure secures the handle. Made in USA.

MOLLE® Fixed Soft Sheath $50.00

D. 983468F – Black

E. 983469F – Coyote

D. E.

Tek-Lok®

Multiple position options with compatible sheath.

R. 981609F – Tek-Lok®, large size $15.00

R.

Malice Clips®

Injection-molded connecting clip to attach sheaths to MOLLE® systems, or to use as a belt loop style carry. Clips securely close with a snap-lock.

983551F – Large Malice Clip® (4.75" size)..... $2.00

983550F – Small Malice Clip® (3" size)..... $1.50

5 Hook/7 Hook/8 Hook Pouch (MOLLE® Compatible)

These Velcro® hood closure pouches secure the Rescue Hook for belt carry, and are MOLLE® system enabled with the Malice Clip® (sold separately). Made in USA.

MOLLE® 5 Hook Pouch $8.00

H. 981494F – Black

I. 983856F – Foliage Green

J. 983855F – Coyote

MOLLE® 7 Hook Pouch $10.00

K. 984166F – Black

L. 984205F – Foliage Green

M. 984204F – Coyote

MOLLE® 8 Hook Pouch $12.00

N. 985398F – Black

985570F – Foliage Green (not shown)

985569F – Coyote (not shown)

I. J. H.

L. M. K.

N.

Folder Pouch/Soft Sheaths

Snap-buckle closure flap, can be worn as a belt carry, or lashed to a shoulder strap with the Velcro® lash straps. Made in China.

U. 983170F – Folder Pouch, Black.....$15.00

All soft sheaths are 1680 denier poly-ballistic nylon with liners and Velcro® closures. Made in USA.

V. 981086F – Soft Sheath, Small (1.625" W x 5" D), black....$10.00

981087F – Soft Sheath, Large (2" W x 5.25" D), black.....$10.00

981717F – Soft Sheath, 4" Bali-Song® Series, black.....$10.00

U. V.

Brag-Bag Base Shell

Tri-fold folio with 10 individual knife slot areas (6" D x 3" W). Full-width zippered flat files behind knife slots. (17.75" W x 10.50" H folded x 33" flat H)

983445F Brag-bag shell $60.00

Brag-Bag Pages

Folder page holds 10 individual knife slots. (16.25" W X 20" L)
Fixed blade page holds 4 individual knife slots. (3.5" W x 14" L)

983446F – Brag-Bag folder page..... $20.00

983447F – Brag-Bag fixed blade page ... $20.00

Benchmade Knife Attaché

Soft carry case holds 11 folders. Shell constructed of heavyweight denier with deep plush interior lining and Velcro® flap closure.

981456F – Knife Attache $35.00

Folding Tool Kit
Keep your Benchmade knife in tune with this 12-piece folding tool kit plus sharpener. Carry case included.
985995F – Folding Tool $35.00

Bluelube™
Bluelube™ Cleaner
Clean, lubricate and protect your Benchmade.
983901F – BLUELUBE Cleaner (4oz bottle) $10.00
983900F – BLUELUBE (1.25oz bottle w/ nozzle) $8.00

Blue Box
Various bit sizes with a bit holder/extension; molded plastic case, which doubles as the handle.
981084F – Blue Box..... $20.00



Plexiglass Knife Racks
In Benchmade blue or Bone Collector gray. Each rack holds 7 knives.
10" D x 3 3/4" W x 3" H
985567F – Knife Rack.....$25.00
986698F – Bone Collector....$30.00



Benchmade Knife Sharpeners
A. The Tactical Pro Sharpener
Easy everyday carry with a ceramic honing surface. Length 3.00"
983902F –
Tactical Pro Sharpener $25.00
B. The Mini-Tactical Pro
Smaller version of the Tactical Pro. Length 2.00"
983903F –
Mini-Tactical Pro Sharpener $20.00
C. Combo Sharpener
Diamond honing rod allows you to sharpen serrated portions of the blade. Includes sheath for convenient belt carry. Length 5.75"
985547F –
ComboEdge Sharpener.....$30.00

Single Knife Holder
Transparent plastic, each one holds a single, open knife.
1000005 – Knife Holder $2.50

Benchmade Foam Pad
Perfect for presenting products on retail countertops. 11 5/8" x 7 3/4"
983326F – Foam Pad $10.00

Benchmade Product Display
Sturdy, industrial-style construction with a lockable top and bottom; no assembly required.
985581F – Base $500.00
985580F – Counter.....$500.00

For over two decades, Benchmade has been committed to designing and manufacturing world-class sports cutlery and edged tools.

We continually strive to manufacture high quality products that will deliver superior performance and provide great value for our customers.

Whether you are using a Griptilian® as a basic cutting tool or one of our professional-grade rescue hooks to perform a quick cut in an emergency situation, you can count on your Benchmade to get the job done.

It's not just a knife...

We believe that when a customer chooses to purchase a Benchmade, they don't do so just to be different, they do so because they want the best. This mindset of innovating for improvement is alive and well throughout Benchmade. It goes into every design and comes out of every product. Admittedly, it's not the easiest way to make knives, but it's the only way we know how.







MODEL FEATURE CODES

These codes appear after the Benchmade model numbers. They identify particular feature variations within each model. (Example: Model 140SBK is a Model 140 knife which features partially serrated ComboEdge and corrosion resistant coating on the blade). We may do a limited edition of a model where the model number does not change but does get an addition to the ending, such as 470-131.

(NO CODE)	Plain edge/no blade coating
S	ComboEdge™ (partially serrated) no blade coating
BK	Plain edge black corrosion resistant coated blade
SBK	ComboEdge (partially serrated) black corrosion resistant coated blade
OD	Olive Drab color handle
SN	Coyote color handle or sheath
-BLU	Blue color handle
-YEL	Yellow color handle
-ORG	Orange color handle
-BLK	Black color handle
-PNK	Pink color handle
W	Soft sheath for safety cutter
ADC	Army digital camouflage color sheath
D2	D2 tool steel blade
DM	Damascus blade
CP	Clam pack

DESIGNER COLLABORATION

Benchmade believes working with custom designers creates the most innovative and functional designs in the industry. These skilled artisans and craftsmen pour their passions into their work and agonize over every detail. By collaborating with a selection of world-class custom designers, we're able to tap into the newest locking mechanisms, modern materials, and custom blending and finishing techniques.

Mel Pardue The senior team member, Mel has been grinding sparks, making knives and creating a following for 25-plus years. His style has a class and simplicity all its own. The Pardue collaborations offer great utility to the everyday knife user while at the same time presenting an upscale distinction. Less is definitely more with Mel's designs.

Bill McHenry & Jason Williams It runs in the family... Bill and stepson Jason spend their days making exquisite pieces of "art with an edge on it." Their dedication and talents complement one another very well, and have led to several noteworthy innovations in the knife-making world. Benchmade was fortunate to be involved with one such innovation, the AXIS® mechanism. The rest is history in the making.

Warren Osborne Being raised in the farming and ranching industry taught Warren early on what great utility a quality knife can offer. How a knife feels in the hand over extended use, blade design/edge configurations, and the types of materials used are all mandatory considerations of an Osborne design.

Seiichi Nakamura Engineering was his life's work until he retired to focus his efforts on a passion for custom knife work. He specializes in small Japanese-style folders, gentlemen's carry and jewelry knives. His eye for artistry and mechanical engineering make him a perfect fit for the innovative Benchmade team.

Shane Sibert Since 1994, Shane Sibert's goal has been to design and create unique knives that will invoke pride of ownership, while at the same time perform tasks and challenges with exceptional ease. A life-long avid backpacker, Sibert draws inspiration from hiking throughout the Pacific Northwest's vast wilderness. He's an occasional practitioner of martial arts, and enjoys scuba diving in Oregon's chilly waters.

Ken Steigerwalt In 1978 at the age of 15, Ken found himself at the kitchen table with some files and a vise. Three years later he decided that knifemaking was going to be his full-time career. Since then, Ken has dedicated himself to wowing the industry with his innovative style and describes his work as a passion and a journey to build a better knife than the last. Benchmade has been fortunate to be involved with one such innovation, the Nitrous® Assist mechanism.

Eddie Killian Born with a love of knives, Eddie has carried a knife in his pocket since the second grade, and started to make his own knives in his garage in 2003. A volunteer search and rescue team leader, Eddie is also a certified technical rigging instructor specializing in technical/tactical rope rescue rigging for search and rescue teams, fire agencies, law enforcement and military personnel. He is the founder of Durango, CO-based K5 Tactical. He works as an industrial two-way radio system designer and consultant, as well as military and law enforcement equipment designer. Eddie has worked with countless local, state and federal agencies including the California Highway Patrol, U.S. Secret Service, Department of Justice, and the Department of the Treasury.

Matthew Lerch Co-developer of the Nitrous® Assist mechanism, Matthew has his finger on the pulse of industry-leading innovations and will continue to be a valuable contributor to Benchmade's genuine passion for that next, better design.

Bob Lum Growing up in the Pacific Northwest gave him an opportunity to develop an appreciation for the importance of a fine knife, which comes through in his elegant and utilitarian designs. Thanks, Bob.

Charles Marlowe Charles Marlowe began making knives when he was 15 years old in his father's workshop. His passion developed throughout his college career and he has been designing knives ever since. Known for his unique butterfly knife designs, Charles and Benchmade share a mutual commitment to precision and quality.

Greg Thompson Greg Thompson is the creator of Special Operations Combatives Program (SOCP), a designated program for U.S. Army Special Operations Forces. With over 12 years of experience training Special Operations soldiers, Greg currently works as the Director of Training for the 18 ABN CORPS at Fort Bragg, NC.

Butch Ball Butch Ball developed a passion for knives at a very early age. After building a few fixed blades in the early '90s he decided, in 2000, to begin a true custom shop. Butch starts each knife as a prototype, which he then tests, recreates and tests again. At each stage in this development process, he is thinking of ways to improve the design, whether mechanical or ergonomic. The results of this process are designs that are as robust as they are innovative.

LOCKING MECHANISMS

Seems simple enough. You open the knife, you close the knife. But it's the mechanics of motion that happens in the process of opening and closing which can make the difference between ordinary and extraordinary. Is the knife easy to actuate, can it be opened with one hand, is it ambidextrous, and will it be reliable when you need it most? These are all essential considerations when it comes to knife mechanics.

AXIS®

A patented Benchmade exclusive, AXIS® has been turning heads and winning fans ever since its introduction. A 100-percent ambidextrous design, AXIS® gets its function from a small, hardened steel bar which rides forward and back in a slot machined into both steel liners. The bar extends to both sides of the knife, spans the liners, and is positioned over the rear of the blade. It engages a ramped tang portion of the knife blade when it is opened. Two omega-style springs, one on each liner, give the locking bar its inertia to engage the knife tang. As a result, the tang is wedged solidly between a sizable stop pin and the AXIS® bar itself. Available in manual, assist or automatic configurations.

MODIFIED LOCKING-LINER

The basic principle is an integral locking bar within the knife liner being stress bent, enabling it to spring into position behind the rear tang of the blade when the blade is opened. The locking bar wedges against the rear of the blade, locking it open until you physically push it clear and close the blade (locking-liners are made either right or left hand specific). And with a modified locking-liner you get a patented feature that helps to enhance the lock function. The function success and function failure of a locking-liner depends greatly on how well it is made and also the quality of the materials used. With Benchmade, you get both.

MONOLOCK

The monolock mechanism is basically a locking-liner on steroids. The knife liner is one in the same as the knife handle, and thus it is designed and made to function as the locking mechanism. Subsequently, a thicker material is used to provide enough surface area to be a functional handle, and in turn creates a larger surface area to lock the blade with. If executed properly, the monolock design rates very highly in strength and function.

NAK-LOK®

Built from the framework of the locking-liner with some innovative updates. The lock engages using tensile strength, compared to the compression hold of more traditional locking-liners. With the Nak-Lok®, the possibility of personal injury is greatly reduced with the opening finger never crossing the blade's path.

NITROUS®

Another patented Benchmade exclusive, the Nitrous® boosts the blade with ease. As the blade is closed the two torsion arms which run the length of the handle liners are secured in place and make contact with the blade tang. As tensioned against the blade tang, the user rotates the blade open to a 30-degree angle, the torsion arms take over and continue the blade opening process on its own. The huge advantages to the Nitrous® design over other similar concepts, is that the blade must be rotated open to beyond a 30-degree angle, which offers added user control.

AUTOMATIC

Restricted to Active Duty military, Law Enforcement and Public Safety, these are folding knives, which open at the push of a button. The blade is deployed out from the handle side like traditional folding knives, but the blade is spring-assisted to a fully locked open position. The Benchmade autos take full advantage of a powerful coil spring blade actuator coupled with our precisely machined taper lock mechanism, proving itself to be the most reliable system available in auto open knives. Our patented integrated safety mechanism (located on handle spine) ensures that the blade will not inadvertently deploy or close once it is locked open.

BALI-SONG®

As much an art form as it is the ultimate example of form following function. The Bali-Song or butterfly knife is of Filipino ancestry dating back to nearly 800 A.D. Its basic form consists of a pin-hinged, two-piece handle, which when closed encases the blade for carry. Opening and closing can be accomplished with a single hand, making the tool that much more utility capable.



BLADE STEELS AND FINISHES

Benchmade uses a variety of modern materials specially selected for their superior performance characteristics. We strongly believe that if you're going to put this much effort into designing a custom quality cutting tool, then it only makes sense to build it with materials that complement its form and enhance its function.

154CM

An American-made premium grade stainless steel originally developed for tough industrial applications. Known for its best all-around qualities, it offers great corrosion resistance with good toughness and edge quality.

S30V

An American-made and developed premium grade stainless steel created especially for knives. It is a powder-made steel with a uniform carbide distribution and clean steel properties. As a blade material, it offers excellent corrosion resistance and superb edge qualities.

CPM-M4

Special purpose, high-speed steel with a combination of high carbon, moly, vanadium and tungsten for excellent wear resistance and toughness. A powder-metal, non-stainless steel.

D2

An air-hardened tool steel that offers excellent wear resistance. A good choice for hard-use applications.

440C

A high-chromium stainless steel with a terrific balance of good hardness and corrosion resistance. 440C takes a nice edge and is fairly easy to resharpen. An excellent value-priced steel for its performance.

M390

A high performance blade steel with superior cutting ability and wear resistance due to its high concentration of vanadium and chromium carbides. Its unique powder metallurgical process also promotes a uniform carbide distribution and clean steel properties, making M390 a popular steel used in surgical cutting instruments and in applications requiring a high finish. As a blade material it offers excellent corrosion resistance due to its high concentration of chromium.

N680

A chromium-molybdenum conventionally produced stainless steel with the addition of vanadium and nitrogen. Excellent corrosion resistance properties, especially in saltwater. Good hardenability and high obtainable hardness. High wear resistance and ability to preserve keenness.

DAMASCUS

A specially forged, layered steel made up of a variety of steels. It offers remarkable toughness and edge quality. For finishing, the surface layers or lines are exposed through an acid etch which creates a very unique visual effect. Used in special applications due to its inherent high cost and artistic nature.

CERAKOTE™

Designed and manufactured by NIC Industries, Cerakote™ has a unique ceramic structure that outperforms competitive coatings and improves performance in both laboratory and real-world settings.

COMBOEDGE

It denotes our partial serration on the plain edge blade configuration. Benchmade's serration pattern offers ideal cutting ability for fibrous materials such as webbing, straps, netting, or rope.

HEAT-TREATMENT

Over the years we have developed a "special recipe" for heat-treating our blade steels. This process maximizes the steel's molecular structure for a custom toughness and Benchmade superior performance. All steels may be created equally, but that is where it stops when it comes to Benchmade.

STEEL	CARBON	CHROMIUM	COBALT	NITROGEN	MAGANESE	MOLYBDENUM	NICKEL	PHOSPHOROUS	SILICON	SULPH	TUNGSTEN	VANADIUM	HRC
154CM	1.05	14.00	-	-	0.50	4.00	-	-	0.30	-	-	-	58-61
S30V	1.45	14.00	-	-	0.50	2.00	-	-	0.50	-	-	4.00	58-60
M2	0.85	4.15	-	0.30	0.30	5.00	0.30	-	0.30	-	5.50-6.75	1.95	58-60
D2	1.50	12.00	-	0.30	0.60	1.00	0.30	-	0.60	-	-	1.00	60-62
M390	1.90	20.00	-	-	0.30	1.00	-	-	0.60	-	0.60	4.00	60-62
N680	0.54	17.30	-	-	0.40	1.10	-	-	0.45	-	-	0.10	57-59
440C	1.00	17.50	-	-	0.50	0.50	-	0.04	0.30	0.03	-	-	58-60
8CR14MOV	0.75	14.50	-	-	1.00	0.20	-	0.03	1.00	0.03	-	0.20	57-58
AUS-8	0.75	14.00	-	0.49	0.50	0.10	0.49	0.04	1.00	0.03	-	0.20	58-59
1095	1.00	-	-	-	0.40	-	-	0.04	-	0.05	-	-	57-60
9CR13COMOV	0.85	13.50	1.00	-	1.00	0.20	-	-	-	-	-	0.20	58-60
CPM-M4	1.42	4.0	-	-	-	5.25	-	-	-	-	5.5	4.0	62-64

HANDLES AND LINERS

HANDLES

CARBON FIBER

A contemporary, premium composite of thin strands of carbon tightly woven into various weave patterns, then impregnated with resin, which is most commonly clear but can be color-tinted. It offers great looks and is exceptionally strong for its minimal weight.

COCOBOLO

A tropical hardwood from Central America known for being hard and dense. Its coloring ranges from orange to reddish-brown.

MICARTA

Layers of linen cloths soaked in resin and pressured together. Most commonly used on more stylish knives due to its rich color finish qualities.

6061 T-6 ALUMINUM

A nonferrous metal originally developed as a premium aircraft-grade aluminum, it offers a solid handle form and function at a nominal weight. Most typically color anodized.

NORYL GTX®

A modern engineered plastic offering high-strength, low-flex, and lightweight properties. Molded to form.

G10

An extremely durable makeup of layers of fiberglass soaked in resin, then highly compressed and baked. Impervious to moisture or liquid and physically stable under climate change. Most commonly black, but is available in various colors too.

ZYTEL®

A lightweight glass-filled nylon engineered for strength and durability. Widely used throughout the auto industry in engine-related components. Molded to form.

KYDEX®

A mixture of acrylic and PVC that offers outstanding impact and chemical resistance as well as fire retardancy. Widely used in the auto and aerospace industries. Molded or thermo-formed.

DELRIN®

A lightweight and durable engineered polymer with low-wear properties. Used throughout the auto industry. Molded to form.

VALOX®

A reinforced resin with excellent stiffness, strength, and dimensional stability. Molded to form.

GRIVORY®

An amorphous nylon copolymer with exceptional dimensional stability. 50% or greater glass fill.

ANODIZATION

An electrochemical process used for adding color to titanium surfaces. A combination of chemical bath and electrical voltage level generates the desired color. A similar process is used for aluminum with the addition of a chemical coloring bath.

SANTOPRENE®

A thermoplastic elastomer that is molded to specification. It offers excellent flexibility with high tear strength and fatigue resistance. Resistance to many harsh chemicals. These features contribute to improved performance in a range of tough jobs.

LINERS

6AL 4V-TITANIUM

Considered an exotic metal alloy (Titanium + 6% Aluminum + 4% Vanadium) with an excellent strength-to-weight ratio which offers exceptional performance in a knife. Titanium is corrosion resistant to natural elements as well as many industrial chemicals.

410SS STAINLESS STEEL

A common knife grade with low carbon, high chromium content steel which offers excellent bend toughness and wearability. It offers excellent corrosion resistant characteristics as well. Also used in handles.

SHEATHS

BALLISTICS NYLON

A heavy-duty woven nylon fabric originally developed for use in bulletproof vests and body armor. Offers great lightweight sheath durability.

LEATHER

A natural material dating back to man's earliest beginnings in the knife world. It can be easily dyed and tooled for desired visual effect. Offers traditionally accepted levels of performance and design capability.

The following are registered trademarks of their respective companies: Delrin®, E.I. du Pont de Nemours & Company; Zytel®, E.I. du Pont de Nemours & Company; Kydex®, Kleerdex Company; Noryl GTX® and Valox®, General Electric Company; Xylan®, Whitford Worldwide Corporation; Kraton®, Kraton Polymers Company; Santoprene®, Advanced Elastomer Systems, Grivory®, EMS-Grivory.

SPECIAL SERVICES

PERSONALIZED LASER MARKING

Make any Benchmade your Benchmade. Commemorate an event or outfit the unit. Whatever the occasion, now you can have your logo or artwork laser-etched onto any Benchmade. Depending on the particular model, the mark can be placed either on the blade or, in some models, on the handles. If you are interested in this special service, simply call a Benchmade customer service representative at 800.800.7427 or visit www.benchmade.com/lasermark.

LIFESHARP SERVICE

BENCHMADE® LIFESHARP We will gladly resharpen your Benchmade knife to a factory razor sharp edge (service does not apply to any serrated portion of the blade). Simply ship your knife to us. We will inspect the knife for any warrantied repairs and "tune" the knife for optimum performance. Ship the knife to Benchmade, postage paid and insured. Please enclose your return shipping address with $5.00 to help cover return shipping charges. www.benchmade.com/lifesharp

WARRANTY

LIMITED LIFETIME WARRANTY

Benchmade Knife Company, Inc. ("Benchmade") warrants to the original owner that this knife will be free from defects in materials and workmanship. Benchmade will, without charge, repair or replace, at Benchmade's option, any knife returned for Warranty work and found to be defective by Benchmade. The knife must be shipped by owner prepaid and insured freight, together with a description of the problem, and must be accompanied by the original bill of sale, your charge or credit card receipt or any satisfactory proof of the original date of purchase from a retail dealer. Any automatic knife returned for Warranty service from outside of Oregon must also include a copy of the owner's active police or military identification, or be returned through the authorized Benchmade dealer from whom the knife was originally purchased.
NO EXCEPTIONS WILL BE MADE.

WHAT IS COVERED

This Warranty covers replacement parts and labor.

WHAT IS NOT COVERED

This Warranty does not cover normal wear, resharpening of the blade, damage caused by neglect, misuse or the failure to perform normal or necessary maintenance, disassembly of any knife by any person other than Benchmade's Warranty department, or shipping costs for returned knives. Do not use your new knife as a screwdriver, pry bar, chisel or punch. Do not throw your knife or use it for any purpose other than cutting. Do not disassemble your knife. Do not sharpen your knife on a power grinding wheel. Any of these acts will void your Warranty.

MINIMUM CHARGE TO REASSEMBLE A KNIFE WHEN THE WARRANTY HAS BEEN VOIDED IS $20 PLUS PARTS.

Repair or replacement as provided under this Warranty is the exclusive remedy of the consumer. Benchmade shall not be liable for any incidental, reliance, or consequential damages or breach of implied Warranty on this product, including any damage to person or property. Benchmade's liability under any circumstances is limited to the purchase price. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

This knife has only one use, as a cutting tool. Benchmade's knives carry no warranty except as expressly contained herein. Benchmade disclaims all warranties of merchantability and fitness for a particular purpose other than for use as a cutting tool. There are no warranties which extend beyond the description contained herein.

Please review the Warranty information and proper knife care instructions provided with each knife.

ORDERING OF AUTOMATIC KNIVES

Automatic knives are available for sale in Oregon state. All orders for automatic knives must be on departmental purchase order or letterhead with wording to the effect that the knives will be used as duty items. All orders for automatic knives must be faxed or mailed. We cannot accept phone orders for automatic knives. The sales of automatic knives is federally regulated (refer to catalog inside cover for federal statutes), always check permissibility within your state or locality as non-federal personnel may be precluded from ownership or use by State laws.
NO EXCEPTIONS WILL BE MADE.

SHIPPING OF AUTOMATIC KNIVES

All Automatic knives shipped by Benchmade will be sent via courier (UPS, FedEx, etc.) and CANNOT be shipped through the U.S. Postal Service. Also please note that all returns of automatic knives must be shipped via courier (UPS, FedEx, etc.) in accordance with the policies of the U.S. Postal Service. Thank you.

ARE ASSIST-OPEN KNIVES LEGAL?

The way that the Benchmade assist-open knives are designed and built, they are not considered an automatic or switchblade under federal interpretations. The Optimiser® and new Nitrous® assist mechanisms must be initiated with the user manually overcoming the pull of the torsion bar or split liner systems to activate the assist function. This is done through manually or physically having to engage the blade first before opening. And as an added safety feature, the Benchmade assist openers must have their blades rotated open to an approximately 20- to 30-degree open angle BEFORE the assist engages. This eliminates the need and complication of a secondary safety mechanism.

Even though the Benchmade assist-open models are not classified as automatics or switchblades, it is still recommended that the user research and verify the legalities in their own specific areas. Knife laws and regulations are subject to local interpretations and may change frequently.

The purchase, use and ownership of knives is subject to a wide variety of local laws and regulations. It is impossible for Benchmade Knife Company to know or interpret all of these laws. It is the responsibility of the buyer to be aware of the laws which govern them in their specific area wherever that may be. We encourage the responsible ownership and use of knives as one of mankind's oldest tools. Be smart and be safe.

Every effort is made to ensure the accuracy of the prices and information presented in this catalog. However, we reserve the right to rectify any and all errors prior to any sale transactions. This catalog is produced annually. Visit www.benchmade.com for the latest information.

Prices shown are at suggested retail (U.S. currency). Actual purchase prices may vary. All pricing and product specifications are subject to possible change without prior notice.

AKTI AMERICAN KNIFE & TOOL INSTITUTE

Benchmade is proud to be a charter member of AKTI. Get involved. Help to protect your knife freedoms.
Join AKTI today!

877.752.8770 Or www.akti.org

The following are trademarks or registered trademarks of Mentor Group, L.L.C., used under license: Adamas; Axial; Benchmade (wordmark logo); Conspiracy; Emissary; Epidemic; Fieldsharp; Fugitive; Hardtail; Houdini; Mangus; Megumi; Mountainside; Nightshift; Nonconformist; NTK; Pro (bullseye logo); Ridge Top; Scorch; Shori; Soldat; Swale; T-Rod; Tailout; Ti-Fender; Trask; Triage; Venom. • The following are trademarks or registered trademarks of Benchmade Knife Company, Inc.: Ally; Ambush; Aphid; Ares; Ascender; AXIS; Backroad; Bali-Song; Bali-Song (butterfly logo); Barrage; Bedlam; Benchmade; Benchmade (butterfly logo); Benchmite; Blitz; BlueLube; Break. Cut. Escape; Dejavoo; ERT-1; Genuine AXIS Mechanics; Glory; Gravitator; Griptilian; Hell's Kitchen; InDraft; Impel; Infidel; Instigator; Kulgera; Levitator; LFTi; Mayhem; MonoChrome; Morpho; MPR; Nagara; Nak-Lok; Nimravus; NimCub II; Nitrous; Onslaught; Optimiser; Pika; Presidio; Presdio Ultra; Rant; Rift; Rolling Lock; Rukus; Sequel; Shoki; Skirmish; Stryker; Subrosa; Torrent; Tumult; Venom; Vex. • NOTE: We reserve the right to make any design and/or material modifications without prior notice. • Benchmade products may be manufactured under one or more of the following patents: U.S. Patent Nos. 5,685,079 (Rolling Lock); 5,737,841 (AXIS, Auto AXIS, AXIS Assist); 5,755,035 (Liner Lock); 5,822,866 (Automatic); 6,122,829 (AXIS); 6,438,848 (Auto AXIS); 6,550,832 (Levitator); US RE 41,259 E (AXIS, Auto AXIS, AXIS Assist); 6,675,484 (Levitator); 6,732,436 (Rolling Lock); 6,789,323 (Rolling Lock); 7,278,213 (Automatic, Liner Lock); 7,293,360 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback); 7,305,768 (Monolock); 7,305,769 (Out The Front); 7,409,766 (Lockback); 7,533,466 (Sliding Taillock); 7,562,454 (Nitrous Bali-Song, Nitrous Liner Lock, Nitrous Lockback); 7,562,455 (Out The Front); 7,748,122 (AXIS Assist); 7905023 (Adjustable pivot diameter); 7,987,601 (NakLok); 8,171,645 (AXIS Assist); 8,261,633 (Adjustable pivot diameter); D422,476 (710 Blade); D422,477 (Sentinel, Dark Star Knife); D422,478 (Sentinel, Dark Star Handle); D422,479 (720); D422,480 (710 Handle); D422,669 (Nimravus); D422,873 (710); D422,877 (Nimravus Handle); D425,389 (Nimravus Blade); D426,132 (720 Blade); D428,789 (710 Handle); D431,991 (Ares Handle); D432,386 (Ares); D433,913 (720 Handle); D438,442 (940 Blade); D447,925 (940 Handle); D549,561 (Rescue Hook); D553,482 (Rescue Hook); Chinese Patent Nos. ZL 98813962.6 (AXIS), ZL 03106473.6 (AXIS), ZL 02815077.5 (Levitator), ZL 200680042105.7 (Nak-Lock), ZL 200680020710.4 (Auto Assist), ZL 02828500.X (Moizis Assist); French Patent Nos. 1552088 (Levitator), 1071546 (AXIS), 97452 (Stryker), 8795104.2 (AXIS Assist), 602008012517.3 (AXIS Assist); German Patent Nos. 60236820.0-08 (Levitator), 1071546 / 69821034.4-08 (AXIS), 602008012517.3 (AXIS Assist), M9711869.9 (Stryker), M711870.2 (Stryker); Hong Kong Patent No. HK1037344 (AXIS), HK1123255 (Nak-Lock); Italian Patent Nos. 1552088 (Levitator), 1071546 (AXIS), 73990 (Stryker); Japanese Patent Nos. 3639990 (AXIS), 4225896; Spanish Patent No. 1552088 (Levitator); Taiwanese Patent Nos. 187158 (Levitator), 247653 (Assist), I325362 (BILT), I351343 (OTF). Other Patents Pending.



BENCHMADE®

300 BEAVERCREEK ROAD
OREGON CITY, OR 97045

ADDRESS SERVICE REQUESTED

PRSRT STD
US POSTAGE
PAID
OREGON CITY, OR
PERMIT NO. 25

TELEPHONE
800.800.7427
503.655.6004

CUSTOMER SERVICE FAX
503.496.1896

EMAIL
INFO@BENCHMADE.COM

WEB
BENCHMADE.COM

©2013 BENCHMADE KNIFE CO, INC • Printed in USA